

# Table des matières

- proxy-01** ..... 3
- Fonctionnalités** ..... 3
- Configuration** ..... 3
  - Système d'exploitation ..... 3
  - Adressage IP ..... 3
  - Configuration Nginx ..... 3
  - Liste des paquets ..... 6



# proxy-01

## Fonctionnalités

- Reçoit les requêtes depuis internet
- Redirige les requêtes vers les machines concernées via Nginx
- Filtre les requêtes via un pare-feu iptables
- Bannit les tentatives d'attaques via Fail2Ban

## Configuration

### Système d'exploitation

Debian stable (Debian 10 « Buster » au moment de la rédaction de cette page)

### Adressage IP

```
# VM-LAN
allow-hotplug enp7s0
iface enp7s0 inet static
    address 192.168.10.2
    netmask 255.255.255.0
    gateway 192.168.10.1
    dns-nameservers 213.133.99.99 213.133.100.100 213.133.98.98
```

### Configuration Nginx

```
# Blocage des pays douteux :
geoip_country /usr/share/GeoIP/GeoIP.dat;
map $geoip_country_code $allow_country {
    default yes;
    PH no;
    MYS no;
    IN no;
    BY no;
    UA no;
    CN no;
    RU no;
    KR no;
    KP no;
}
```

```
# Configuration globale :
```

```
server {
    # Frontaux Web HTTP :
    server_name _;
    listen 80;

    location / {
        proxy_pass https://192.168.10.5/;
        proxy_http_version          1.1;
        proxy_cache_bypass          $http_upgrade;
        proxy_set_header Upgrade    $http_upgrade;
        proxy_set_header Connection "upgrade";
        proxy_set_header Host       $host;
        proxy_set_header X-Real-IP  $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_set_header X-Forwarded-Host $host;
        proxy_set_header X-Forwarded-Port $server_port;
    }

    # Bloquer les pays douteux :
    if ($allow_country = no) {
        return 403;
    }
}

server {
    # Frontal Web HTTPS Liberta Vidéo (Peertube) :
    server_name video.liberta.vip;
    listen 443 ssl http2;
    ssl_certificate /etc/letsencrypt/live/liberta.vip/fullchain.pem;
    ssl_certificate_key /etc/letsencrypt/live/liberta.vip/privkey.pem;
    location / {
        proxy_pass https://192.168.10.8/;
        proxy_http_version          1.1;
        proxy_cache_bypass          $http_upgrade;
        proxy_set_header Upgrade    $http_upgrade;
        proxy_set_header Connection "upgrade";
        proxy_set_header Host       $host;
        proxy_set_header X-Real-IP  $remote_addr;
        proxy_set_header X-Forwarded-For
$proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_set_header X-Forwarded-Host $host;
        proxy_set_header X-Forwarded-Port $server_port;
    }

    # Bloquer les pays douteux :
    if ($allow_country = no) {
        return 403;
    }
}

server {
    # Frontaux Web HTTPS Liberta :
    server_name liberta.vip *.liberta.vip;
```

```
listen 443 ssl http2;
ssl_certificate /etc/letsencrypt/live/liberta.vip/fullchain.pem;
ssl_certificate_key /etc/letsencrypt/live/liberta.vip/privkey.pem;
location / {
    proxy_pass https://192.168.10.5/;
        proxy_http_version            1.1;
        proxy_cache_bypass            $http_upgrade;
        proxy_set_header Upgrade      $http_upgrade;
        proxy_set_header Connection   "upgrade";
        proxy_set_header Host         $host;
        proxy_set_header X-Real-IP    $remote_addr;
        proxy_set_header X-Forwarded-For
$proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_set_header X-Forwarded-Host $host;
        proxy_set_header X-Forwarded-Port $server_port;
    }
# Bloquer les pays douteux :
if ($allow_country = no) {
    return 403;
}
}
server {
    # Frontaux Web SILICS :
    server_name silics.fr *.silics.fr;
    listen 443 ssl http2;
    ssl_certificate /etc/letsencrypt/live/silics.fr/fullchain.pem;
    ssl_certificate_key /etc/letsencrypt/live/silics.fr/privkey.pem;
    location / {
        proxy_pass https://192.168.10.5/;
            proxy_http_version            1.1;
            proxy_cache_bypass            $http_upgrade;
            proxy_set_header Upgrade      $http_upgrade;
            proxy_set_header Connection   "upgrade";
            proxy_set_header Host         $host;
            proxy_set_header X-Real-IP    $remote_addr;
            proxy_set_header X-Forwarded-For
$proxy_add_x_forwarded_for;
            proxy_set_header X-Forwarded-Proto $scheme;
            proxy_set_header X-Forwarded-Host $host;
            proxy_set_header X-Forwarded-Port $server_port;
        }
    }
server {
    # Frontaux Web TarnMarket :
    server_name tarnmarket.fr *.tarnmarket.fr;
    listen 443 ssl http2;
    ssl_certificate /etc/letsencrypt/live/tarnmarket.fr/fullchain.pem;
    ssl_certificate_key /etc/letsencrypt/live/tarnmarket.fr/privkey.pem;

    location / {
```

```
proxy_pass https://192.168.10.5/;
proxy_http_version 1.1;
proxy_cache_bypass $http_upgrade;
proxy_set_header Upgrade $http_upgrade;
proxy_set_header Connection "upgrade";
proxy_set_header Host $host;
proxy_set_header X-Real-IP $remote_addr;
proxy_set_header X-Forwarded-For
$proxy_add_x_forwarded_for;
proxy_set_header X-Forwarded-Proto $scheme;
proxy_set_header X-Forwarded-Host $host;
proxy_set_header X-Forwarded-Port $server_port;
}
}
```

## Liste des paquets

```
root@proxy-01 ~ # dpkg --get-selections | grep -v 'deinstall' | awk '{ print $1}'
adduser
apparmor
apt
apt-listchanges
apt-utils
aspell
aspell-fr
base-files
base-passwd
bash
bash-completion
bind9-host
bsdmainutils
bsdutils
busybox
bzip2
ca-certificates
certbot
console-setup
console-setup-linux
coreutils
cpio
cron
dash
dbus
debconf
debconf-i18n
debian-archive-keyring
debian-faq
debianutils
dictionaries-common
```

```
diffutils
discover
discover-data
distro-info-data
dmidecode
dmsetup
doc-debian
dpkg
e2fsprogs
eject
emacsen-common
exuberant-ctags
fail2ban
fdisk
file
findutils
firmware-linux-free
fontconfig-config
fonts-dejavu-core
gcc-8-base:amd64
gdbm-l10n
geoip-bin
geoip-database
gettext-base
pgpv
grep
groff-base
grub-common
grub-pc
grub-pc-bin
grub2-common
gzip
hdparm
hostname
htop
ifrench-gut
iftop
ifupdown
init
init-system-helpers
initramfs-tools
initramfs-tools-core
installation-report
iotop
iproute2
iptables
iputils-ping
isc-dhcp-client
isc-dhcp-common
iso-codes
ispell
```

kbd  
keyboard-configuration  
klibc-utils  
kmod  
krb5-locales  
laptop-detect  
less  
libacl1:amd64  
libapparmor1:amd64  
libapt-inst2.0:amd64  
libapt-pkg5.0:amd64  
libargon2-1:amd64  
libaspell15:amd64  
libattr1:amd64  
libaudit-common  
libaudit1:amd64  
libbind9-161:amd64  
libblkid1:amd64  
libbsd0:amd64  
libbz2-1.0:amd64  
libc-bin  
libc-l10n  
libc6:amd64  
libcap-ng0:amd64  
libcap2:amd64  
libcap2-bin  
libcom-err2:amd64  
libcryptsetup12:amd64  
libcurl3-gnutls:amd64  
libdb5.3:amd64  
libdbus-1-3:amd64  
libdebconfclient0:amd64  
libdevmapper1.02.1:amd64  
libdiscover2  
libdns-export1104  
libdns1104:amd64  
libedit2:amd64  
libefiboot1:amd64  
libefivar1:amd64  
libelf1:amd64  
libestr0:amd64  
libexpat1:amd64  
libext2fs2:amd64  
libfastjson4:amd64  
libfdisk1:amd64  
libffi6:amd64  
libfontconfig1:amd64  
libfreetype6:amd64  
libfstrm0:amd64  
libfuse2:amd64  
libgcc1:amd64



```
libgcrypt20:amd64
libgd3:amd64
libgdbm-compat4:amd64
libgdbm6:amd64
libgeoip1:amd64
libgmp10:amd64
libgnutls30:amd64
libgpg-error0:amd64
libgpm2:amd64
libgssapi-krb5-2:amd64
libhogweed4:amd64
libicu63:amd64
libidn11:amd64
libidn2-0:amd64
libip4tc0:amd64
libip6tc0:amd64
libiptc0:amd64
libisc-export1100:amd64
libisc1100:amd64
libisccc161:amd64
libisccfg163:amd64
libjbig0:amd64
libjpeg62-turbo:amd64
libjson-c3:amd64
libk5crypto3:amd64
libkeyutils1:amd64
libklibc:amd64
libkmod2:amd64
libkrb5-3:amd64
libkrb5support0:amd64
libldap-2.4-2:amd64
libldap-common
liblmb0:amd64
liblocale-gettext-perl
liblockfile-bin
liblognorm5:amd64
liblwres161:amd64
liblz4-1:amd64
liblzma5:amd64
libmagic-mgc
libmagic1:amd64
libmnl0:amd64
libmount1:amd64
libmpdec2:amd64
libncurses6:amd64
libncursesw6:amd64
libnetfilter-contrack3:amd64
libnettle6:amd64
libnewt0.52:amd64
libnfnetwork0:amd64
libnftnl11:amd64
```

```
libnghttp2-14:amd64
libnginx-mod-http-auth-pam
libnginx-mod-http-dav-ext
libnginx-mod-http-echo
libnginx-mod-http-geoip
libnginx-mod-http-image-filter
libnginx-mod-http-subst-filter
libnginx-mod-http-upstream-fair
libnginx-mod-http-xslt-filter
libnginx-mod-mail
libnginx-mod-stream
libnss-systemd:amd64
libp11-kit0:amd64
libpam-modules:amd64
libpam-modules-bin
libpam-runtime
libpam-systemd:amd64
libpam0g:amd64
libpcap0.8:amd64
libpci3:amd64
libpcre2-8-0:amd64
libpcre3:amd64
libperl5.28:amd64
libpipeline1:amd64
libpng16-16:amd64
libpopt0:amd64
libprocps7:amd64
libprotobuf-c1:amd64
libpsl5:amd64
libpython-stdlib:amd64
libpython2-stdlib:amd64
libpython2.7-minimal:amd64
libpython2.7-stdlib:amd64
libpython3-stdlib:amd64
libpython3.7-minimal:amd64
libpython3.7-stdlib:amd64
libreadline7:amd64
librtmp1:amd64
libssl2-2:amd64
libssl2-modules:amd64
libssl2-modules-db:amd64
libseccomp2:amd64
libselinux1:amd64
libsemanage-common
libsemanage1:amd64
libsensors-config
libsensors5:amd64
libsepol1:amd64
libslang2:amd64
libsmartcols1:amd64
libsqlite3-0:amd64
```

```
libss2:amd64
libssh2-1:amd64
libssl1.1:amd64
libstdc++6:amd64
libsystemd0:amd64
libtasn1-6:amd64
libtext-charwidth-perl
libtext-iconv-perl
libtext-wrap18n-perl
libtiff5:amd64
libtinfo6:amd64
libuchardet0:amd64
libudev1:amd64
libunistring2:amd64
libusb-0.1-4:amd64
libusb-1.0-0:amd64
libuuid1:amd64
libwebp6:amd64
libwrap0:amd64
libx11-6:amd64
libx11-data
libxau6:amd64
libxcb1:amd64
libxdmcp6:amd64
libxext6:amd64
libxml2:amd64
libxmuu1:amd64
libxpm4:amd64
libxslt1.1:amd64
libxtables12:amd64
libzstd1:amd64
linux-base
linux-image-4.19.0-13-amd64
linux-image-4.19.0-14-amd64
linux-image-amd64
locales
login
logrotate
lsb-base
lsb-release
lsof
man-db
manpages
mawk
mime-support
mount
nano
ncurses-base
ncurses-bin
ncurses-term
net-tools
```

```
netbase
netcat-traditional
nginx
nginx-common
nginx-full
openssh-client
openssh-server
openssh-sftp-server
openssl
os-prober
passwd
pciutils
perl
perl-base
perl-modules-5.28
powermgmt-base
procps
publicsuffix
python
python-apt-common
python-minimal
python-pyicu
python2
python2-minimal
python2.7
python2.7-minimal
python3
python3-acme
python3-apt
python3-asn1crypto
python3-certbot
python3-certifi
python3-cffi-backend
python3-chardet
python3-configargparse
python3-configobj
python3-cryptography
python3-debconf
python3-debian
python3-debianbts
python3-distutils
python3-future
python3-httpplib2
python3-idna
python3-josepy
python3-lib2to3
python3-minimal
python3-mock
python3-openssl
python3-parsedatetime
python3-pbr
```

python3-pkg-resources  
python3-pycurl  
python3-pyinotify  
python3-pysimplesoap  
python3-reportbug  
python3-requests  
python3-requests-toolbelt  
python3-rfc3339  
python3-setuptools  
python3-six  
python3-systemd  
python3-tz  
python3-urllib3  
python3-zope.component  
python3-zope.event  
python3-zope.hookable  
python3-zope.interface  
python3.7  
python3.7-minimal  
readline-common  
reportbug  
rsync  
rsyslog  
sed  
sensible-utils  
sysstat  
systemd  
systemd-sysv  
sysvinit-utils  
tar  
task-french  
task-ssh-server  
tasksel  
tasksel-data  
tcpdump  
telnet  
traceroute  
tzdata  
ucf  
udev  
ufw  
usb.ids  
usbutils  
util-linux  
util-linux-locales  
vim  
vim-common  
vim-runtime  
vim-tiny  
wamerican  
wfrench

```
wget  
whiptail  
whois  
xauth  
xkb-data  
xxd  
xz-utils  
zlib1g:amd64
```

From:  
<https://doc.liberta.vip/> - **Documentation Liberta**

Permanent link:  
<https://doc.liberta.vip/tech/proxy-01>

Last update: **03/03/2021 12:12**

